

---

Product name	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
MSDS number	85854	Revision Date	Jun.25.2009
Revision Number	1	Issuing date	Jun.29.2009

---

## 1. Identification of the substance/preparation and the company/undertaking

Product name

**Celvol E / Celvol SP**  
**Polyvinyl alcohol, homopolymer**

Manufacturer, importer, supplier

**Sekisui Specialty Chemicals Europe S.L.**

Crta. N-340, Km.1157  
Apartado 1388  
43080 Tarragona, SPAIN

For information, telephone +1-972-443-8901  
www.sekisui-sc.com

**Emergency telephone number**

For Chemical Emergency: Spill Leak Fire Exposure or Accident  
Call CHEMTREC Day or Night  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

**End use:**

Chemical intermediate (including monomers), Auxiliary for leather, Auxiliary for textil, packaging, Surfactant, Adhesives industry, Food industry

## 2. Hazards identification

**Statements of hazard**

The product does not require a hazard warning label in accordance with EC Directives.

Dust from this product can form an explosive organic dust cloud.  
In closed containers, due to development of heat, vapours from Methanol and Methyl acetate could collect in the empty space of the container, therefore keep closed containers away from ignition sources and from open fires

## 3. Composition/information on ingredients

**Chemical characterization** Polyvinyl alcohol Vinyl polymer

Components	CAS-No	EC-No.	Classification	Percent %
Ethenol, homopolymer	9002-89-5	-	-	93 - 95

**Safety data sheet**  
**according to regulation (EG) Nr. 1907/2006**



<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

Methanol	67-56-1	200-659-6	F;R11 T;R23/24/25- 39/23/24/25	< 3
----------	---------	-----------	--------------------------------------	-----

**Remarks** The following specific grades of Celvol are covered by this MSDS:

Celvol E 04/98; Celvol E 04/98K; Celvol E 05/99; Celvol E 05/99E; Celvol E 05/99K; Celvol E 10/98; Celvol E 28/99; Celvol E 28/99K; Celvol E 28/99SL; Celvol E 60/98

Celvol SP M 05/20; Celvol SP M 13/20; Celvol SP V 03/20; Celvol SP W 28/20; Celvol SP W 48/20

#### **4. First aid measures**

**General Information** Wash contaminated clothing before re-use.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.

**Skin** Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.

**Eyes** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

**Ingestion** If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Call a physician immediately.

#### **Notes to physician**

**Treatment** Treat symptomatically.

#### **5. Fire-fighting measures**

##### **Suitable extinguishing media**

Dry chemical. alcohol-resistant foam. carbon dioxide (CO<sub>2</sub>).

##### **Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

##### **Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases**

Under conditions giving incomplete combustion, hazardous gases produced may consist of carbon monoxide  
carbon dioxide (CO<sub>2</sub>)  
Combustion gases of organic materials must in principle be graded as inhalation poisons

##### **Special protective equipment for fire-fighters**

flame retardant protective clothing. self-contained breathing apparatus (EN 133).

# Safety data sheet according to regulation (EG) Nr. 1907/2006



---

<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

---

## Other Information

Cool containers / tanks with water spray. Thoroughly decontaminate bunker gear and other fire-fighting equipment before re-use.

## 6. Accidental release measures

### Personal precautions

Avoid contact with the skin and the eyes. Do not breathe dust. Forms slippery surfaces with water.

### Environmental precautions

Prevent further leakage or spillage. Do not discharge into the drains/surface waters/groundwater.

### Methods for cleaning Up

Shovel or sweep up. Keep in suitable, closed containers for disposal. Dispose of in accordance with local regulations. Avoid dust formation.

## 7. Handling and storage

### Handling

#### Advice on safe handling

Use adequate ventilation. Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid dust formation.

#### Protection - fire and explosion:

The powder can explode if mixed in air and ignited in a confined space. If unconfined, ignition will give rise to a Class A fire. Care should be taken to prevent the accumulation of dust. Dust is an explosion hazard. However, the explosive hazard is highly dependent on particle size; the finer the particles, the higher the explosion strength. Emptying of bags of powder directly into vessels where flammable vapors exist should be strictly prohibited because static discharges can be generated of sufficient strength to produce an explosion.

### Storage

#### Material storage

Store at room temperature in the original container. Keep away from reactive metals (sodium, zinc, copper, calcium, etc.).

#### Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. The stacking height must not exceed three pallets.

#### Incompatible products

Keep away from: concentrated peroxides, perchlorates, strong oxidizing agents

#### German storage class

13: Non-flammable solids.

## 8. Exposure controls / personal protection

### EC Exposure Limit Values

Components	EU TWA	
Methanol	260 mg/m <sup>3</sup>	200 PPM

**Safety data sheet**  
**according to regulation (EG) Nr. 1907/2006**



<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

**Methanol**

Skin Designation                      Can be absorbed through the skin.

**National occupational exposure limits (Germany)**

Components	TRGS 900 (AGW )		STEL Factor
Respirable Dust	3 mg/m <sup>3</sup>		2
Methanol	270 mg/m <sup>3</sup>	200 PPM	4
Total Dust	10 mg/m <sup>3</sup>		2

**TRGS 905 / 907**

**Methanol**

Skin designation                      Components of the product may be absorbed into the body through the skin

**ACGIH Exposure Limits**

Components	TWA
Respirable Dust	3 mg/m <sup>3</sup>
Methanol	200 PPM
Total Dust	10 mg/m <sup>3</sup>

Components	STEL
Methanol	250 PPM

**Engineering measures**                      General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred.

**Personal protective equipment**

**General advice**                              Avoid contact with skin and eyes. Do not breathe dust. Use only in an area equipped with a safety shower. Hold eye wash fountain available.

**Hygiene measures**                              When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

**Respiratory protection**                              No personal respiratory protective equipment normally required. If the dust exposure limit is exceeded, wear dust mask or respirator with particle filter. Equipment should conform to EN 136 or EN 140 and EN 143.

**Eye protection**                                      Tightly fitting safety goggles. Equipment should conform to EN 166.

**skin protection**                                      impervious clothing

**Hand protection**                                      Chemicals resistant gloves  
**Suitable material**                                      nitrile rubber

# Safety data sheet according to regulation (EG) Nr. 1907/2006



---

<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

---

<b>Reference substance Type</b>	Pentaerythritol Fleximax (Company COMASEC) or comparable article; or refer to glove manufacturer's recommendation
<b>Evaluation</b>	according to EN 374: level 6
<b>Material thickness</b>	approx 0.55 mm
<b>Break through time</b>	480 min
<b>Suitable material</b>	PVC / nitril rubber
<b>Reference substance Type</b>	Pentaerythritol Multiplus (Company COMASEC) or comparable article; or refer to glove manufacturer's recommendation
<b>Evaluation</b>	according to EN 374: level 6
<b>Material thickness</b>	approx 0.9 mm
<b>Break through time</b>	> 480 min

## 9. Physical and chemical properties

### Appearance

<b>Form</b>	Powder
<b>Colour</b>	white
<b>Odor</b>	odorless

<b>Melting point/range</b>	160 - 240°C
<b>Bulk density</b>	0.4 - 0.6 g/cm <sup>3</sup> 20°C
<b>pH</b>	Neutral
<b>Water solubility</b>	hot water

## 10. Stability and reactivity

<b>Stability</b>	Stable
<b>Conditions to avoid</b>	Avoid dust formation.
<b>Materials to avoid</b>	Keep away from:., oxygen, peroxides, perchlorates, nitrates, oxidizing agents, Keep away from reactive metals (sodium, zinc, copper, calcium, etc.)
<b>Thermal decomposition</b>	Thermal decomposition can take place above 200°C. Thermal decomposition products may include oxides of carbon.
<b>Hazardous reactions</b>	Hazardous polymerization does not occur.

## 11. Toxicological information

### Ethenol, homopolymer

<b>Oral</b>	LD50: >5000 mg/kg, rat
<b>Dermal</b>	no data available

<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

## 11. Toxicological information

<b>Inhalation</b>		LC50: >24 mg/L, rat, 1h
<b>Skin irritation</b>		Non-irritant
	Species	rabbit
<b>Skin Sensitization</b>		nonsensitizer
	Species	guinea pig
	Method	Maximization
<b>Eye Irritation</b>		Non-irritant
	Species	rabbit eye
<b>in vitro Mutagenicity</b>		Ames test - negative with and without activation
		Mouse lymphoma cell gene-mutation - negative
<b>in vivo Mutagenicity</b>		Mouse micronucleus - negative
<b>Reproductive toxicity</b>		No toxicity to reproduction

## 12. Ecological information

### Ethenol, homopolymer

<b>Toxicity to fish</b>		LC50: >5000 mg/l (96h)
	Species	Danio rerio (Zebra fish)
		LC50: 40 mg/l (96h)
	Species	Pimephales promelas (Fathead minnow)
<b>Toxicity to daphnia</b>		EC50: 8.3 mg/l (48h)
	Species	Daphnia magna
<b>Toxicity to bacteria</b>		EC50: 50 mg/l
	Method	DIN 38412 T.8
<b>Biodegradation</b>		90 %
	Method	OECD 302 B (Zahn-Wellens Test)
<b>Chemical Oxygen Demand (COD)</b>		ca. 17000 mgO <sub>2</sub> /g
<b>Bioaccumulation</b>		Bioaccumulative potential - low

## 13. Disposal considerations

<b>Product information</b>	Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal..
<b>Uncleaned empty packaging</b>	Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse..

## 14. Transport information

<b>ADR/RID</b>	Not regulated
<b>ADNR</b>	Not regulated

# Safety data sheet according to regulation (EG) Nr. 1907/2006



---

<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

---

## 14. Transport information

ICAO/IATA not restricted

IMDG Not regulated

## 15. Regulatory information

### Labelling in accordance with EC directives

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

### S-phrase(s)

S22 - Do not breathe dust.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S51 - Use only in well-ventilated areas

### WGK Class

1

### WGK Reg-Nr.

2886

### WGK Source

Classification according to VwVwS, Annex 3  
Information based on the main component

## 16. Other information

### R-phrase(s)

R11 - Highly flammable.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

### For further information, see:

For more information, other material safety data sheets or technical data sheets, please consult the Sekisui Specialty Chemicals home page at [www.sekisui-sc.com](http://www.sekisui-sc.com)

Changes against the previous version are marked by \*\*\*

### Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Sekisui Specialty Chemical owned data and public sources deemed valid or acceptable. The absence of data elements required by ANSI or 1907/2006 indicates, that no data meeting these requirements is available.

### Further information

This information is based on our present state of knowledge. It shall describe our products regarding safety requirements and shall not be construed as a guarantee or statement of condition and/or quality.

**Safety data sheet**  
**according to regulation (EG) Nr. 1907/2006**



---

<b>Product name</b>	Celvol E / Celvol SP, PVOH, homopolymer		EU/EN
<b>MSDS number</b>	85854	<b>Revision Date</b>	Jun.25.2009
<b>Revision Number</b>	1	<b>Issuing date</b>	Jun.29.2009

---