

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Version number: 2.0

1 Identification

1.1 Product identifier

Trade name

SELVOL™ Polyvinyl alcohol, 5-30% solutions
Grades: 12-523, 21-205, 24-203, 09-523, 09-425

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Chemical intermediate (including monomers),
Auxiliary for leather, Auxiliary for textile, packaging, Surfactant, Adhesives industry, Food industry

1.3 Details of the supplier of the safety data sheet

Sekisui Specialty Chemicals America, LLC
1501 LBJ Freeway, Suite 530
Dallas, TX 75234
United States

Telephone: +1-972-277-2900
Website: www.sekisui-sc.com

1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
-	CHEMTREC International (outside USA)	1-703-527-3887

As above or nearest toxicological information centre.

2 Hazard identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

2.2 Label elements

Labeling

Signal word warning

Pictograms

GHS07



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

3 Composition/ Information on ingredients

3.1 Substances



Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Hazardous ingredients						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits
methanol	CAS No 67-56-1	0.001 – 0.1	Flam. Liq. 2 / H225 Acute Tox. 3 / H301		-	-

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Hazardous ingredients						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits
			Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS No 55965-84-9	0.0015 – < 0.06	Acute Tox. 3 / H301 Acute Tox. 2 / H310 Acute Tox. 2 / H330 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 EUH071		-	Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %

For full text of H-phrases: see SECTION 16

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4 First-aid measures

4.1 Description of first-aid measures

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Following eye contact

Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth. Do not induce vomiting.
Get medical advice/attention if you feel unwell.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None.

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.
Hazardous decomposition products: Section 10.

Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Keep containers cool with water spray.
In case of fire and/or explosion do not breathe fumes.
Coordinate firefighting measures to the fire surroundings.
Do not allow firefighting water to enter drains or water courses.
Collect contaminated firefighting water separately.
Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protective clothing, Self-contained breathing apparatus (SCBA)

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Avoid contact with skin and eyes.

Special danger of slipping by leaking/spilling product.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

In case of formation of gases/vapors/mists suppress with water spray

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

7 Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Do not breathe vapor/spray.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Specific notes/details

None.

Handling of incompatible substances or mixtures

Do not mix with oxidizer

Keep away from

metals, peroxides, perchlorates, nitrates

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Observe compatible storage of chemicals.

Protect against external exposure, such as

heat, frost

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Keep cool.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

8 Exposure controls/ Personal protection

8.1 Control parameters

The following constituents are the only constituents of the product which have a OEL, a PEV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Notation	Source
CA	methanol	67-56-1	OEL (BC)	200	-	250	-	H	"BC Regulation"
CA	methanol (methyl alcohol)	67-56-1	OEL (AB)	200	262	250	328	H	OHS Code
CA	methyl alcohol	67-56-1	PEV/VEA	200	262	250	328	H	Regulation OHS

Notation

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
CR: chloroprene (chlorobutadiene) rubber	no information available	no information available

Wear suitable gloves.
Check leak-tightness/impermeability prior to use.

Body protection

Protective clothing against liquid chemicals.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.
Keep away from drains, surface and ground water.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid (viscous)
Color	colourless to yellowish
Odor	odorless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	5 – 7.5 (in aqueous solution: 100 g/l)
Kinematic viscosity	not determined

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Dynamic viscosity	not determined
Solubility(ies)	
Water solubility	not miscible in any proportion
Partition coefficient n-octanol/water (log value)	not determined
Vapor pressure	not determined
Density and/or relative density	
Density	1.02 – 1.05 g/cm ³ at 20 °C
Relative vapour density	this information is not available
Relative density	1.02 – 1.05 at 20 °C (water = 1)
Particle characteristics	not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

10 Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

oxidizers, metal, peroxides, perchlorates, nitrate

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

11 Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Test data are not available for the complete mixture.

Acute toxicity of components

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
methanol	67-56-1	oral	100 mg/kg
methanol	67-56-1	dermal	300 mg/kg
methanol	67-56-1	inhalation: vapour	3 mg/l/4h
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	oral	64 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	dermal	87.12 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	inhalation: dust/mist	0.171 mg/l/4h

Acute toxicity of components							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
methanol	67-56-1	oral	LD50	1,187 – 2,769 mg/kg	rat	-	ECHA

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Acute toxicity of components							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
methanol	67-56-1	dermal	LD50	17,100 mg/kg	rabbit	-	ECHA
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	oral	LD50	64 mg/kg	rat	-	ECHA
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	dermal	LD50	87.12 mg/kg	rabbit, male	-	ECHA
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	inhalation: dust/mist	LC50	0.171 mg/l/4h	rat	OECD Guideline 403	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

Carcinogenicity

IARC Monographs

None of the ingredients are listed.

National Toxicology Program (United States)

None of the ingredients are listed.

OSHA Carcinogens

None of the ingredients are listed.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

12 Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Based on available data, the classification criteria are not met.

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
methanol	67-56-1	LC50	96 h	15,400 mg/l	bluegill (Lepomis macrochirus)	EPA-660/3-75-009	ECHA
methanol	67-56-1	EC50	96 h	12,700 mg/l	bluegill (Lepomis macrochirus)	EPA-660/3-75-009	ECHA

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
methanol	67-56-1	EC50	96 h	18,260 mg/l	daphnia magna	OECD Guideline 202	ECHA
methanol	67-56-1	ErC50	96 h	~22,000 mg/l	algae (pseudokirch- neriella subcap- itata)	OECD Guideline 201	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	LC50	96 h	0.19 mg/l	rainbow trout (Oncorhynchus mykiss)	EPA OPP 72-1	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	EC50	48 h	0.007 mg/l	crustacea: Acartia tonsa	-	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	ErC50	72 h	6.3 µg/l	algae (Skelet- onema cost- atum)	OECD Guideline 201	ECHA

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Based on available data, the classification criteria are not met.

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	LC50	14 d	0.07 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 204	ECHA

SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425

Name of sub- stance	CAS No	Endpoint	Expos- ure time	Value	Species	Method	Source
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	EC50	21 d	>0.18 mg/l	daphnia magna	EPA OPP 72-4	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	NOEC	72 h	1.4 µg/l	algae (pseudokirch- neriella subcap- itata)	OECD Guideline 201	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	NOEC	35 d	≥46.4 µg/l	zebra fish (Danio rerio)	OECD Guideline 210	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	NOEC	21 d	11.1 µg/l	daphnia magna	OECD Guideline 211	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	NOEC	3 h	0.91 mg/l	activated sludge of a pre- dominantly do- mestic sewage	OECD Guideline 209	ECHA
reaction mass of 5-chloro-2- methyl-2H-iso- thiazol-3-one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	LOEC	28 d	0.144 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 215	ECHA

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

12.2 Persistence and degradability

Biodegradation

Test data are not available for the complete mixture.

Degradability of components

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
methanol	67-56-1	oxygen depletion	95 %	20 d	-	ECHA
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	carbon dioxide generation	38.8 %	29 d	OECD Guideline 301 B	ECHA

Persistence

No data available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW
methanol	67-56-1	<10	-0.77
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	-	≥-0.34 – ≤0.63 (pH value: 7, 10 °C)

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.

12.6 Other adverse effects

Data are not available.

Remarks

Keep away from drains, surface and ground water.

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

13 Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

14 Transport information

14.1 UN number not assigned

14.2 UN proper shipping name -

14.3 Transport hazard class(es) -

14.4 Packing group -

14.5 Environmental hazards -

14.6 Special precautions for user -

14.7 Transport in bulk according to IMO instruments -

14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

Not subject to transport regulations: UN RTDG

15 Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) Not all ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

None of the ingredients are listed

Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings				
Name of substance	Name acc. to inventory	CAS No	Remarks	Effective date
methanol	methanol	67-56-1	-	1987-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Name acc. to inventory	CAS No	Remarks	Stat- utory code	Final RQ pounds (Kg)
methanol	Methanol; Methyl alcohol	67-56-1	-	3 4	5000 (2270)

Legend

3 "3" indicates that the source is section 112 of the Clean Air Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

None of the ingredients are listed

Right to Know Hazardous Substance List

Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentra- tion Threshold
methanol	Methanol	67-56-1	-	-	-	1.0 %

Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to in- ventory	CAS No	Remarks	Classifica- tions	Lis- ted in	Sub- stanc e num- ber	DOT num- ber
methanol	methyl alcohol (meth- anol) (methanol)	67-56- 1	-	TE F3.	1 2	1222	1230

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications	Listed in	Substance number	DOT number
					3 4 6 8 15 17 18 20 21		
methyl acetate	methyl acetate (acetic acid, methyl ester)	79-20-9	-	F3.	1 2 3 4 15 17	1217	1231

Legend

- 1 Occupational Safety and Health Administration, 29 CFR 1910-Occupational Safety and Health Standards, Subpart Z-Toxic and Hazardous Substances, July 1, 2008.
- 15 "Fire Protection Guide to Hazardous Materials," NFPA 49 (Hazardous Chemicals Data), NFPA 325 (Guide to Fire Hazard Properties of Flammable Liquids, Gases, and Volatile Solids), and NFPA 704 (Standard System for the Identification of the Hazards of Materials for Emergency Response), National Fire Protection Association (NFPA), 2001.
- 17 "2008 Emergency Response Guidebook," Research and Special Programs Administration, U.S. Department of Transportation, 2008.
- 18 List of Toxics Release Inventory Chemicals, Section 313, Emergency Planning and Community Right to Know Act (EPCRA), Toxics Release Inventory (TRI) Program, U.S. Environmental Protection Agency, 40 CFR 372.65, July 1, 2008.
- 2 "2009 TLVs® and BEIs®, Threshold Limit Values and Biological Exposure Indices," American Conference of Governmental Industrial Hygienists (ACGIH), 2009.
- 20 List of Hazardous Substances and Reportable Quantities (RQ), Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), U.S. Environmental Protection Agency, 40 CFR 302, Table 302.4, July 1, 2008.
- 21 21. Hazardous Wastes from the P and U Lists, Resource Conservation and Recovery Act (RCRA), U.S. Environmental Protection Agency, 40 CFR 261.33, July 1, 2008.
- 3 Office of Hazardous Materials Safety, Research and Special Programs Administration, U.S. Department of Transportation, 49 CFR 172.101-Hazardous Materials Table, October 1, 2008.
- 4 "NIOSH Pocket Guide to Chemical Hazards," National Institute for Occupational Safety and Health (NIOSH), U.S. Department of Health and Human Services, No. 2005-149, September 2005.
- 6 "Environmental Hazardous Substance List," New Jersey Department of Environmental Protection, N.J.A.C. 7:1G-2, as printed in the Community Right to Know Survey Instruction Book, 2008.
- 8 Integrated Risk Information System (IRIS) Database for Risk Assessment, Office of Research and Development, National Center for Environmental Assessment, U.S. Environmental Protection Agency (EPA), September 2008.
- F3 Flammable - Third Degree
- TE Teratogenic

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
METHANOL	67-56-1	E

Legend

E Environmental hazard

Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
methanol	methyl alcohol	67-56-1	T, F
methyl acetate	methyl acetate	79-20-9	T, F

Legend

F Flammability (NFPA®)

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
methanol	67-56-1	-	developmental

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

None of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	-

SELVOL™ Polyvinyl alcohol, 5-30% solutions Grades: 12-523, 21-205, 24-203, 09-523, 09-425

NFPA® 704

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard	-	-

National regulations (Canada)

Domestic Substances List (DSL)

All ingredients are listed.

16 Other information

Date of preparation: 2023-09-13

Date of last revision: 2023-11-03.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425

Abbr.	Descriptions of used abbreviations
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IARC	International Agency for Research on Cancer
IARC Mono-graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NFPA®	National Fire Protection Association (United States)
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Products Regulations (HPR).

SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition).

UN Recommendations on the Transport of Dangerous Good.

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H370	Causes damage to organs.

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

**SELVOL™ Polyvinyl alcohol, 5-30%
solutions Grades: 12-523, 21-205,
24-203, 09-523, 09-425**

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.