

---

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

---

**Material Name**

SELVOL™ Premiol LTC-90

**Trade Names**

The following specific grades of SELVOL™ are covered by this SDS:

Premiol LTC-90

**Synonyms**

None apply

**Chemical Family**

Polyvinyl alcohol

**Product Use**

Oil exploration, industry, Oil well technology industry

**Restrictions on Use**

None known.

**Manufacturer Information**

Sekisui Specialty Chemicals America, LLC

1501 LBJ Freeway, Suite 530

Dallas, TX 75234

**Emergency Phone Numbers:**

In USA: CHEMTREC 800-424-9300

Outside USA: CHEMTREC 703-527-3887 (collect calls accepted)

Phone: +1-972-277-2900

www.sekisui-sc.com

---

**Section 2 - HAZARDS IDENTIFICATION**

---

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Combustible Dust

**GHS Label Elements****Symbol(s)**

None needed according to classification criteria

**Signal Word**

Warning

**Hazard Statement(s)**

May form combustible dust concentrations in air

**Precautionary Statement(s)**

## Safety Data Sheet

**Material Name: SELVOL™ Premiol LTC-90**

**SDS ID: SSC40004**

**Prevention**

None needed according to classification criteria

**Response**

None needed according to classification criteria

**Storage**

None needed according to classification criteria

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Trade secret	Trade Secret	> 91
67-56-1	Methyl alcohol	≤ 0.9

### Section 4 - FIRST AID MEASURES

**Description of Necessary Measures**

Wash thoroughly after handling. Avoid breathing dust. Use only outdoors or in a well-ventilated area.

**Inhalation**

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin**

Wash with plenty of soap and water. If skin irritation or rash occurs, seek medical advice/attention. Wash contaminated clothing before reuse.

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion**

If a large amount is swallowed, get medical attention.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

**Most Important Symptoms/Effects**

**Acute**

No information on significant adverse effects.

## Safety Data Sheet

Material Name: SELVOL™ Premiol LTC-90

SDS ID: SSC40004

**Delayed**

No information on significant adverse effects.

---

### Section 5 - FIRE FIGHTING MEASURES

---

**Extinguishing Media**

**Suitable Extinguishing Media**

carbon dioxide, regular dry chemical, alcohol-resistant foam, water spray.

**Unsuitable Extinguishing Media**

Do not scatter spilled material with high-pressure water streams.

**Special Hazards Arising from the Chemical**

Combustible Dust. Dust/air mixtures may ignite or explode. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**Hazardous Combustion Products**

oxides of carbon.

**Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

**Fire Fighting Measures**

Avoid inhalation of material or combustion by-products. Move material from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Dike for later disposal. Stay upwind and keep out of low areas.

---

### Section 6 - ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures**

Avoid contact with skin and eyes. Do not breathe dust. Keep unnecessary people away, isolate hazard area and deny entry. The mixture is slippery when wet.

**Methods and Materials for Containment and Cleaning Up**

Avoid generation of dust. Collect spilled material in appropriate container for disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Environmental Precautions**

Avoid generation of dust. Remove all sources of ignition. Ventilate affected area. Discharge into the environment must be avoided.

---

### Section 7 - HANDLING AND STORAGE

---



## Safety Data Sheet

Material Name: SELVOL™ Premiol LTC-90

SDS ID: SSC40004

### Precautions for Safe Handling

Use methods to minimize dust. Minimize dust generation and accumulation. Use this material with adequate ventilation. Keep container tightly closed. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid breathing dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Store at room temperature. Store in original container. Stacking height must not exceed three pallets.

### Incompatible Materials

reactive metals, oxidizing agents, peroxides, perchlorates, nitrates.

---

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Component Exposure Limits

Trade Secret	Trade Secret
ACGIH:	10 mg/m <sup>3</sup> TWA inhalable particles, recommended; 3 mg/m <sup>3</sup> TWA respirable particles, recommended (related to Particulates not otherwise classified (PNOC))
OSHA (US):	15 mg/m <sup>3</sup> TWA total dust; 5 mg/m <sup>3</sup> TWA respirable fraction (related to Particulates not otherwise classified (PNOC))
	15 mppcf TWA respirable fraction; 5 mg/m <sup>3</sup> TWA respirable fraction; 50 mppcf TWA total dust; 15 mg/m <sup>3</sup> TWA total dust (related to Particulates not otherwise classified (PNOC))
Methyl alcohol	67-56-1
ACGIH:	200 ppm TWA
	250 ppm STEL
	Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	200 ppm TWA; 260 mg/m <sup>3</sup> TWA
	250 ppm STEL; 325 mg/m <sup>3</sup> STEL
	Potential for dermal absorption
	6000 ppm IDLH
Europe:	200 ppm TWA; 260 mg/m <sup>3</sup> TWA
	Possibility of significant uptake through the skin



## Safety Data Sheet

Material Name: SELVOL™ Premiol LTC-90

SDS ID: SSC40004

OSHA (US):	200 ppm TWA; 260 mg/m <sup>3</sup> TWA
Mexico:	200 ppm TWA LMPE-PPT; 260 mg/m <sup>3</sup> TWA LMPE-PPT
	250 ppm STEL [LMPE-CT]; 310 mg/m <sup>3</sup> STEL [LMPE-CT]
	Skin - potential for cutaneous absorption

### Biological limit value

There are no biological limit values for any of this product's components.

### Engineering Controls

Provide local exhaust ventilation system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear safety glasses.

#### Skin Protection

Wear appropriate chemical resistant clothing.

#### Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

---

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	granular powder	<b>Physical State</b>	Solid
<b>Odor</b>	odorless	<b>Color</b>	white to off-white
<b>Odor Threshold</b>	Not available	<b>pH</b>	4.5 - 6.5 (conc. 4%)
<b>Melting Point</b>	230 - 240 °C	<b>Boiling Point</b>	Not available
<b>Freezing point</b>	Not available	<b>Evaporation Rate</b>	Not available
<b>Boiling Point Range</b>	Not available	<b>Flammability (solid, gas)</b>	Minimum Dust Cloud Ignition Temperature: 280°C
<b>Autoignition</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available

## Safety Data Sheet

Material Name: SELVOL™ Premiol LTC-90

SDS ID: SSC40004

<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	1.27 - 1.31 (@ 20 °C)
<b>Water Solubility</b>	Soluble in hot water	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Bulk Density</b>	0.61 - 0.67 g.cm <sup>3</sup> at 20 °C hPa	<b>Density</b>	Not available

### Section 10 - STABILITY AND REACTIVITY

**Reactivity**

No hazard expected.

**Chemical Stability**

Stable under normal conditions of use.

**Possibility of Hazardous Reactions**

Hazardous polymerization will not occur.

**Conditions to Avoid**

Avoid generating dust. Avoid contact with incompatible materials.

**Incompatible Materials**

reactive metals, oxidizing agents, peroxides, perchlorates, nitrates.

**Hazardous decomposition products**

oxides of carbon

### Section 11 - TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure**

**Inhalation**

No information on significant adverse effects.

**Skin Contact**

No information on significant adverse effects.

**Eye Contact**

No information on significant adverse effects.

**Ingestion**

No information on significant adverse effects.

**Acute and Chronic Toxicity**

**Component Analysis - LD50/LC50**



## Safety Data Sheet

**Material Name: SELVOL™ Premiol LTC-90**

**SDS ID: SSC40004**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Methyl alcohol (67-56-1)

Oral LD50 Rat 6200 mg/kg

Inhalation LC50 Rat 22500 ppm 8 h

### **Immediate Effects**

No information on significant adverse effects.

### **Delayed Effects**

No information on significant adverse effects.

### **Irritation/Corrosivity Data**

May cause mechanical irritation.

### **Respiratory Sensitization**

No data available.

### **Dermal Sensitization**

No data available.

### **Germ Cell Mutagenicity**

No data available.

### **Reproductive Toxicity**

No hazard expected. See information on methanol.

### **Specific Target Organ Toxicity - Single Exposure**

None known.

### **Specific Target Organ Toxicity - Repeated Exposure**

None known.

### **Aspiration hazard**

No data available.

### **Medical Conditions Aggravated by Exposure**

No data available.

---

## Section 12 - ECOLOGICAL INFORMATION

---

### **Component Analysis - Aquatic Toxicity**

Trade Secret	Trade Secret
Fish:	LC50 96 hours <i>Lepomis macrochirus</i> (Bluegill sunfish) 10 g/L; LC50 96 hours <i>Pimephales promelas</i> (Fathead minnow) 40 g/L
Invertebrate:	EC50 48 hours <i>Daphnia magna</i> 8300 mg/L
Methyl alcohol	67-56-1



## Safety Data Sheet

Material Name: SELVOL™ Premiol LTC-90

SDS ID: SSC40004

Fish:	LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]
-------	--

### Bioaccumulative Potential

Low.

### Biodegradation

90%

### Chemical Oxygen Demand (COD)

Ca. 1700 mgO<sub>2</sub>/g

---

## Section 13 - DISPOSAL CONSIDERATIONS

---

### Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations. Product is not an EPA hazardous waste.

---

## Section 14 - TRANSPORT INFORMATION

---

### US DOT Information:

UN/NA #: Not Regulated

### TDG Information:

UN#: Not Regulated

### IATA Information:

No Classification assigned.

---

## Section 15 - REGULATORY INFORMATION

---

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Methyl alcohol	67-56-1
SARA 313:	1 % de minimis concentration
CERCLA:	5000 lb final RQ; 2270 kg final RQ





## Safety Data Sheet

**Material Name: SELVOL™ Premiol LTC-90**

**SDS ID: SSC40004**

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No**

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Methyl alcohol	67-56-1	Yes	Yes	Yes	Yes	Yes

**The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

Methyl alcohol	67-56-1
Repro/Dev. Tox	developmental toxicity , 3/16/2012

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Methyl alcohol	67-56-1
	1 %

**WHMIS Classification**

D2B

**Component Analysis - Inventory**

Trade Secret

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	No	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Methyl alcohol (67-56-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

---

**Section 16 - OTHER INFORMATION**

---

**HMIS Rating**



## Safety Data Sheet

**Material Name: SELVOL™ Premiol LTC-90**

**SDS ID: SSC40004**

Health: 1 Fire: 1 Reactivity: Not available

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### **NFPA Ratings**

Health: 1 Fire: 1 Reactivity: Not available

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### **Summary of Changes**

New SDS: 5/18/2015

### **Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

### **Other Information**

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse.

### **Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.