

Selvol Utiloc 4005

Version number: 3.0
Replaces version of: 2019-06-17 (2)

Revision: 2023-03-06
First version: 2017-02-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	2-pyrrolidone, 1-ethenyl-, polymer with ethanol >92%
Trade name	<u>Selvol Utiloc 4005</u>
CAS number	26008-54-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Chemical intermediate (including monomers), Auxiliary for leather, Auxiliary for textil, packaging, Surfactant, Adhesives industry, Food industry
---------------------------------	---

1.3 Details of the supplier of the safety data sheet

Sekisui Specialty Chemicals Europe S.L. Carretera Nacional 340 Km. 1157 43080 Tarragona Spain	Telephone: ++34 9775 49899 Telefax: ++34 9775 44982
e-mail (competent person)	MSDS@sekisui-sc.com

1.4 Emergency telephone number

Emergency information	++1 703 527 3887
As above or nearest toxicological information centre.	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)
This substance does not meet the criteria for classification.

2.2 Label elements

Labelling (acc. to GB CLP)	
Not required.	
Additional labelling requirements	see section 15 of the safety data sheet

Selvol Utiloc 4005

2.3 Other hazards

Dust explosion hazards.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Not listed.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 2-pyrrolidone, 1-ethenyl-, polymer with ethanol
>92%

Identifiers

CAS No 26008-54-8

Purity 85.8 – 99.1 %

Impurities and additives						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits
methyl acetate	CAS No 79-20-9 EC No 201-185-2	0.05 – < 3	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 		
methanol	CAS No 67-56-1 EC No 200-659-6	0.1 – < 3	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370	  		STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media**Suitable extinguishing media**

water, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Danger of dust explosion.

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂), gas/ vapor, toxic

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

self-contained breathing apparatus (EN 133)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ventilate affected area.

Control of dust.

Avoid breathing dust.

Avoid contact with eyes.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Knock down dust with water spray.

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Avoid contact with eyes.

Avoid breathing dust.

Control of dust.

Removal of dust deposits.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Keep away from sources of ignition - No smoking.
Use only in well-ventilated areas.
Only vacuum cleaners containing no ignition sources may be used for combustible dusts.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.

Specific notes/details

Layers, deposits and heaps of combustible dust must be considered, like any other source which can form a hazardous explosive atmosphere.
Dust deposits may accumulate on all deposition surfaces in a technical room.
Danger of dust explosion.

Handling of incompatible substances or mixtures

Do not mix with acids.
Do not mix with oxidiser

Keep away from

metals

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.
Wash hands after use.
Preventive skin protection (barrier creams/ointments) is recommended.
Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Removal of dust deposits.
Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.
Ground/bond container and receiving equipment.

Incompatible substances or mixtures

Incompatible materials: see section 10.
Observe hints for combined storage.
Store away from oxidizing agents.
Store away from metals.

Protect against external exposure, such as

heat, humidity

Selvol Ultiloc 4005

Consideration of other advice

Keep away from food, drink and animal feeding stuffs.
Store in a dry place. Store in a closed container.
Store in a well-ventilated place. Keep cool.

Ventilation requirements

Provision of sufficient ventilation.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
methyl acetate	79-20-9	DNEL	300 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
methyl acetate	79-20-9	DNEL	620 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
methyl acetate	79-20-9	DNEL	43 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166).

Selvol Utiloc 4005

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
IIR: isobutene-isoprene (butyl) rubber	no information available	no information available
NR: natural rubber, latex	no information available	no information available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143): FFP2.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (powder)
Colour	white to yellowish
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not applicable (solid)
Flash point	not applicable
Auto-ignition temperature	not applicable (solid)
Decomposition temperature	not relevant
pH (value)	not applicable
Viscosity	not relevant (solid)

Selvol Utiloc 4005

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient n-octanol/water (log value) not determined

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density not applicable

Particle characteristics no data available

9.2 Other information

Information with regard to physical hazard classes hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Danger of dust explosion.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.

10.5 Incompatible materials

acids, oxidisers, alkali metal, alkaline earth metal, copper, zinc

10.6 Hazardous decomposition products

Nitrogen oxides (NO_x).
Carbon monoxide (CO).
Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgement (weight of evidence determination).

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Acute toxicity of components of the mixture

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
methyl acetate	79-20-9	oral	LD50	6,482 mg/kg	rat, male	OECD Guideline 401	ECHA
methyl acetate	79-20-9	dermal	LD0	2,000 mg/kg	rat	OECD Guideline 402	ECHA
methyl acetate	79-20-9	inhalation: vapour	LC0	49.2 mg/l/4h	rabbit	-	ECHA
methyl acetate	79-20-9	inhalation: vapour	LC100	98.4 mg/l/4h	rabbit	-	ECHA
methanol	67-56-1	oral	LD50	1,187 – 2,769 mg/kg	rat	-	ECHA
methanol	67-56-1	dermal	LD50	17,100 mg/kg	rabbit	-	ECHA

Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory or skin sensitisation

Skin sensitisation

Classification could not be established because:

Selvol Ultiloc 4005

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Not listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

No data available.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
methyl acetate	79-20-9	LC50	$\geq 250 - \leq 350$ mg/l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA	96 h

Selvol Ultiloc 4005

Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
methyl acetate	79-20-9	EC50	1,027 mg/l	daphnia magna	OECD Guideline 202	ECHA	48 h
methyl acetate	79-20-9	ErC50	>120 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA	72 h
methanol	67-56-1	EC50	12,700 mg/l	bluegill (Lepomis macrochirus)	EPA-660/3-75-009	ECHA	96 h
methanol	67-56-1	EC50	18,260 mg/l	daphnia magna	OECD Guideline 202	ECHA	96 h
methanol	67-56-1	ErC50	~22,000 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201	ECHA	96 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
methyl acetate	79-20-9	EC50	16 h	6,000 mg/l	activated sludge (Pseudomonas putida)	DIN 38412 T.9	ECHA
methyl acetate	79-20-9	NOEC	72 h	120 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA
methyl acetate	79-20-9	growth (Eb-Cx) 10%	16 h	1,830 mg/l	activated sludge (Pseudomonas putida)	DIN Vorentwurf 38412 Teil 9	ECHA
methyl acetate	79-20-9	growth rate (ErCx) 10%	72 h	>120 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA

12.2 Persistence and degradability

Biodegradation

No data available.

Selvol Ultiloc 4005

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Source
methyl acetate	79-20-9	oxygen depletion	75 %	19 d	ECHA
methanol	67-56-1	oxygen depletion	95 %	20 d	ECHA

Persistence

No data available.

12.3 Bioaccumulative potential

No data available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW
methyl acetate	79-20-9	-	0.18
methanol	67-56-1	<10	-0.77

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 3

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Seveso Directive Not assigned. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) Not listed. Regulation on the marketing and use of explosives precursors Not listed. Regulation on drug precursors Not listed. Regulation on substances that deplete the ozone layer (ODS) Not listed. Regulation concerning the export and import of hazardous chemicals (PIC) Not listed. Regulation on persistent organic pollutants (POP) Not listed. National regulations (GB) List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list Not listed Restrictions according to GB REACH, Annex 17 Not listed
------	---

Selvol Ultiloc 4005

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction
methanol	Methanol	67-56-1	R69
methanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	-	R3
methanol	flammable / pyrophoric	-	R40
methyl acetate	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	-	R3
methyl acetate	flammable / pyrophoric	-	R40

Legend

- R3
- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - Articles not complying with paragraph 1 shall not be placed on the market.
 - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
 - Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
 - or even sucking the wick of lamps
 - may lead to life-threatening lung damage';
 - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
 - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 - Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

Selvol Utilloc 4005

Legend

- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - ‘whoopie’ cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 2. Without prejudice to the application of other legislation on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: ‘For professional users only’.
 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (***).
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
(***) OJ L 147, 9.6.1975, p. 40.
- R69
- Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0.6 % by weight.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.1	-	Identification of the substance: 2-pyrrolidone, 1-ethenyl-, polymer with ethanol >92%
2.2	-	Supplemental hazard information: change in the listing (table)
3.1	-	Impurities and additives: change in the listing (table)
8.1	Control parameters	Control parameters: Occupational exposure limit values (Workplace Exposure Limits)
8.1	-	Relevant DNELs of components of the mixture: change in the listing (table)
15.1	-	Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)

Selvol Ultiloc 4005

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration

Selvol Ultiloc 4005

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs.

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.